Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING		(X3) DATE SURVEY COMPLETED 12/10/2012	
I CAINT INCEDUC DECIMIAL MEDICAL CENTED DIX I				1915 LAKE AVE PLYMOUTH, IN 46563			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FUL REGULATORY OR LSC IDENTIFYING INFORMATIO			ID PREFIX TAG	(EACH CORRECTIVE ACTION SHOULD BE COMP		(X5) COMPLETE DATE
S 000	000 INITIAL COMMENTS			S 000			
	This visit was for investigation of a State hospital complaint.						
	Complaint Number: IN00114970 Unsubstantiated: lack of sufficient evidence Date: 12/10/12						
	Facility Number: 005070						
	Surveyor: Jacqueline Brown, R.N., Public Health Nurse Surveyor Saint Joseph's Regional Medical Center-Plymouth is in compliance with 410 IAC 15-1.5-6, Nursing service, 410 IAC 15-1.6-8, Surgical services, and 410 IAC 15-1.5-3, Laboratory services, Indiana Hospital Licensure Rules.						
	QA: claughlin 12/13/	12					

Indiana State Department of Health

TITLE (X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE